

San Marcos River Sampling <i>E. coli</i> Results 2020								
Sample Date	Spring Lake	City Park	Rio Vista	1-35 Bridge	Upstream of WWTP	Downstream of WWTP	Average of Six Sampling Locations	Streamflow (cfs)
1/6/2020	15	179	345	155	143	131	161	
1/7/2020	2	47	57	46	76	44	45	
1/21/2020	1	150	179	118	69	122	107	
1/27/2020	1	186	84	86	74	59	82	
2/3/2020	6	225	173	101	77	88	112	
2/24/2020	10	261	308	167	158	260	194	
2/26/2020	3	161	250	260	248	261	197	
2/27/2020	4	55	41	30	28	28	31	
3/2/2020	2	249	178	162	152	161	151	
3/3/2020	6	130	86	74	108	102	84	
3/11/2020	2	238	199	210	125	96	145	
3/24/2020	4	65	96	80	84	133	77	
3/30/2020	2	56	50	41	81	105	56	
4/7/2020	5	37	51	111	192	107	84	
4/13/2020	4	21	49	63	84	91	52	
4/20/2020	3	16	39	41	55	58	35	
4/27/2020	1	27	38	39	61	72	40	
5/4/2020	1	13	35	32	30	44	26	
5/11/2020	9	22	36	48	50	52	36	
5/19/2020	4	21	32	40	35	39	29	
6/2/2020	8	17	39	46	53	76	40	
6/8/2020	4	7	39	34	55	60	33	
6/15/2020	2	108	41	44	69	38	50	
6/22/2020	2	20	40	77	59	55	42	186 cfs
6/30/2020	2	23	44	75	131	119	66	
7/6/2020	1	17	12	31	111	68	40	
7/13/2020	6	14	24	49	52	44	32	
7/20/2020	4	18	73	51	69	63	46	