





**THOROUGHFARE TYPES**

- Highway: HW
- Boulevard: BV
- Avenue: AV
- Commercial Street: CS
- Drive: DR
- Downtown FBC Street: DT
- Street: ST
- Road: RD
- Rear Alley: RA
- Rear Lane: RL
- Bicycle Trail: BT
- Bicycle Lane: BL
- Bicycle Route: BR
- Path: PT
- Transit Route: TR
- Sharrow: SH



**Pat Garrison St  
DT1-46-32**

Thoroughfare Type	Downtown FBC Street
Transect Zone Assignment	T4, T5
Required Right-of-Way Width	46 feet
Pavement Width	32 feet
Curb Relocation (Y/N)	Yes
Movement	Slow Movement
Design Speed	25 MPH
Pedestrian Crossing Time	9.1 seconds
Traffic Lanes	2 lanes
Parking Lanes	Both sides unmarked
Curb Radius	10 feet
Walkway Type	7 foot Sidewalk
Planter Type	4 x 4 foot Tree Wells
Curb Type	Curb
Landscape Type	Trees at 30' o.c. Avg.
Transportation Provision	TR




**University Dr  
DT2-(56'-58')-40**

Thoroughfare Type	Downtown FBC Street
Transect Zone Assignment	T4, T5
Required Right-of-Way Width	56-58 feet
Pavement Width	40 feet
Curb Relocation (Y/N)	No
Movement	Free Movement
Design Speed	35 MPH
Pedestrian Crossing Time	11.4 seconds
Traffic Lanes	4 lanes
Parking Lanes	None
Curb Radius	10 feet
Walkway Type	8-9 foot Sidewalk
Planter Type	4 x 4 foot Tree Wells
Curb Type	Curb
Landscape Type	Trees at 30' o.c. Avg.
Transportation Provision	SH, TR

DRAFT 11/7/2013



**GATEWAYPLANNING**  
A VIALTA GROUP PARTNER

 **Kimley-Horn  
and Associates, Inc.**





**THOROUGHFARE TYPES**

- Highway: HW
- Boulevard: BV
- Avenue: AV
- Commercial Street: CS
- Drive: DR
- Downtown FBC Street: DT
- Street: ST
- Road: RD
- Rear Alley: RA
- Rear Lane: RL
- Bicycle Trail: BT
- Bicycle Lane: BL
- Bicycle Route: BR
- Path: PT
- Transit Route: TR
- Sharrow: SH



**San Antonio St/ Harvey St**  
**DT3-(80'-94')-(54'-58')**



**MLK Dr**  
**DT4-83'-(46'-48')**


<u>Thoroughfare Type</u>	Downtown FBC Street
<u>Transect Zone Assignment</u>	T4, T5
<u>Required Right-of-Way Width</u>	80-94 feet
<u>Pavement Width</u>	54-58 feet
<u>Curb Relocation (Y/N)</u>	Yes
<u>Movement</u>	Slow Movement
<u>Design Speed</u>	25 MPH
<u>Pedestrian Crossing Time</u>	8 seconds
<u>Traffic Lanes</u>	2 lanes
<u>Parking Lanes</u>	Both sides at 16.5 foot marked angle
<u>Curb Radius</u>	10 feet
<u>Walkway Type</u>	13-16 foot Sidewalk
<u>Planter Type</u>	4 x 4 foot Tree Wells
<u>Curb Type</u>	Curb
<u>Landscape Type</u>	Trees at 30' o.c. Avg.
<u>Transportation Provision</u>	SH, TR

<u>Thoroughfare Type</u>	Downtown FBC Street
<u>Transect Zone Assignment</u>	T4, T5
<u>Required Right-of-Way Width</u>	83 feet
<u>Pavement Width</u>	46-48 feet
<u>Curb Relocation (Y/N)</u>	No
<u>Movement</u>	Slow Movement
<u>Design Speed</u>	30 MPH
<u>Pedestrian Crossing Time</u>	8.6 seconds
<u>Traffic Lanes</u>	2 lanes
<u>Parking Lanes</u>	Both Sides at 7 foot marked
<u>Curb Radius</u>	10 feet
<u>Walkway Type</u>	12 foot Sidewalk
<u>Planter Type</u>	4 x 4 foot Tree Wells
<u>Curb Type</u>	Curb
<u>Landscape Type</u>	Trees at 30' o.c. Avg.
<u>Transportation Provision</u>	BL, TR

DRAFT 11/7/2013



**GATEWAYPLANNING**  
A VIALTA GROUP PARTNER

 **Kimley-Horn  
and Associates, Inc.**





**THOROUGHFARE TYPES**

- Highway: HW
- Boulevard: BV
- Avenue: AV
- Commercial Street: CS
- Drive: DR
- Downtown FBC Street: DT
- Street: ST
- Road: RD
- Rear Alley: RA
- Rear Lane: RL
- Bicycle Trail: BT
- Bicycle Lane: BL
- Bicycle Route: BR
- Path: PT
- Transit Route: TR
- Sharrow: SH



**Cheatham St (Guadalupe to LBJ)**  
**DT5-42'-30'**



**Cheatham St (LBJ East )**  
**DT6-60-44**


<u>Thoroughfare Type</u>	Downtown FBC Street
<u>Transect Zone Assignment</u>	T4, T5
<u>Required Right-of-Way Width</u>	42 feet
<u>Pavement Width</u>	30 feet
<u>Curb Relocation (Y/N)</u>	No
<u>Movement</u>	Slow Movement
<u>Design Speed</u>	20 MPH
<u>Pedestrian Crossing Time</u>	6.3 seconds
<u>Traffic Lanes</u>	2 lanes
<u>Parking Lanes</u>	One Side at 8 foot marked
<u>Curb Radius</u>	10 feet
<u>Walkway Type</u>	6 foot Sidewalk
<u>Planter Type</u>	4 x 4 foot Tree Wells
<u>Curb Type</u>	Curb
<u>Landscape Type</u>	Trees at 30' o.c. Avg.
<u>Transportation Provision</u>	SH, TR

<u>Thoroughfare Type</u>	Downtown FBC Street
<u>Transect Zone Assignment</u>	T4, T5
<u>Required Right-of-Way Width</u>	60 feet
<u>Pavement Width</u>	44 feet
<u>Curb Relocation (Y/N)</u>	Yes
<u>Movement</u>	Slow Movement
<u>Design Speed</u>	30 MPH
<u>Pedestrian Crossing Time</u>	8.6 seconds
<u>Traffic Lanes</u>	2 lanes
<u>Parking Lanes</u>	North Side at 8 foot marked
<u>Curb Radius</u>	10 feet
<u>Walkway Type</u>	10 foot Sidewalk
<u>Planter Type</u>	4 x 4 foot Tree Wells
<u>Curb Type</u>	Curb
<u>Landscape Type</u>	Trees at 30' o.c. Avg.
<u>Transportation Provision</u>	BL, TR

DRAFT 11/7/2013

**GATEWAYPLANNING**  
A VIALTA GROUP PARTNER



 **Kimley-Horn  
and Associates, Inc.**



**THOROUGHFARE TYPES**

- Highway: HW
- Boulevard: BV
- Avenue: AV
- Commercial Street: CS
- Drive: DR
- Downtown FBC Street: DT
- Street: ST
- Road: RD
- Rear Alley: RA
- Rear Lane: RL
- Bicycle Trail: BT
- Bicycle Lane: BL
- Bicycle Route: BR
- Path: PT
- Transit Route: TR
- Sharrow: SH



Thoroughfare Type
Transect Zone Assignment
Required Right-of-Way Width
Pavement Width
Curb Relocation (Y/N)
Movement
Design Speed
Pedestrian Crossing Time
Traffic Lanes
Parking Lanes
Curb Radius
Walkway Type
Planter Type
Curb Type
Landscape Type
Transportation Provision



**Grove St (Guadalupe to LBJ)**

**DT7-55-36**

Downtown FBC Street
T4, T5
55 feet
36 feet
No
Free Movement (Linear Lanes)
35 MPH
10.3 seconds
3 lanes (one-way)
None
10 feet
9.5 foot Sidewalk
4 x 4 foot Tree Wells
Curb
Trees at 30' o.c. Avg.
TR



**Grove St (West of Guadalupe and East of LBJ)**


**DT8-55-36**

Downtown FBC Street
T4, T5
55 feet
36 feet
No
Slow Movement
25 MPH
5.7 seconds
2 lanes
Both Sides at 7.5 foot marked
10 feet
9.5 foot Sidewalk
4 x 4 foot Tree Wells
Curb
Trees at 30' o.c. Avg.
TR

DRAFT 11/7/2013



**GATEWAYPLANNING**  
A VIALTA GROUP PARTNER

 **Kimley-Horn  
and Associates, Inc.**





- THOROUGHFARE TYPES**
- Highway: HW
  - Boulevard: BV
  - Avenue: AV
  - Commercial Street: CS
  - Drive: DR
  - Downtown FBC Street: DT
  - Street: ST
  - Road: RD
  - Rear Alley: RA
  - Rear Lane: RL
  - Bicycle Trail: BT
  - Bicycle Lane: BL
  - Bicycle Route: BR
  - Path: PT
  - Transit Route: TR
  - Sharrow: SH

Thoroughfare Type
Transect Zone Assignment
Required Right-of-Way Width
Pavement Width
Curb Relocation (Y/N)
Movement
Design Speed
Pedestrian Crossing Time
Traffic Lanes
Parking Lanes
Curb Radius
Walkway Type
Planter Type
Curb Type
Landscape Type
Transportation Provision



<b>Lee St</b>
<b>DT9-56-36</b>
Downtown FBC Street
T4, T5
56 feet
36 feet
No
Slow Movement
25 MPH
5.7 seconds
2 lanes
Both Sides at 7.5 foot marked
10 feet
7 foot Sidewalk
4 x 4 foot Tree Wells
Curb
Trees at 30' o.c. Avg.
None




<b>Love St</b>
<b>DT10-55-28</b>
Downtown FBC Street
T4, T5
55 feet
28 feet
No
Slow Movement
30 MPH
8 seconds
2 lanes
Both Sides unmarked
10 feet
7 foot Sidewalk
4 x 4 foot Tree Wells
Curb
Trees at 30' o.c. Avg.
SH, TR

DRAFT 11/7/2013

**GATEWAYPLANNING**  
A VIALTA GROUP PARTNER







**THOROUGHFARE TYPES**



- Highway: HW
- Boulevard: BV
- Avenue: AV
- Commercial Street: CS
- Drive: DR
- Downtown FBC Street: DT
- Street: ST
- Road: RD
- Rear Alley: RA
- Rear Lane: RL
- Bicycle Trail: BT
- Bicycle Lane: BL
- Bicycle Route: BR
- Path: PT
- Transit Route: TR
- Sharrow: SH

Thoroughfare Type
Transect Zone Assignment
Required Right-of-Way Width
Pavement Width
Curb Relocation (Y/N)
Movement
Design Speed
Pedestrian Crossing Time
Traffic Lanes
Parking Lanes
Curb Radius
Walkway Type
Planter Type
Curb Type
Landscape Type
Transportation Provision



**North St (Hutchinson St to Hopkins St)**  
**DT11-56-32**

Downtown FBC Street
T4, T5
56 feet
32 feet
No
Slow Movement
30 MPH
9.1 seconds
2 lanes
Both Sides unmarked
10 feet
10 foot Sidewalk
4 x 4 foot Tree Wells
Curb
Trees at 30' o.c. Avg.
None




**North St (Hopkins St to Harvey St)**  
**DT12-46-26**

Downtown FBC Street
T4, T5
46 feet
26 feet
No
Slow Movement
30 MPH
7.4 seconds
2 lanes
Both Sides unmarked
10 feet
10 foot Sidewalk
4 x 4 foot Tree Wells
Curb
Trees at 30' o.c. Avg.
None

DRAFT 11/7/2013



**GATEWAYPLANNING**  
A VIALTA GROUP PARTNER

 **Kimley-Horn  
and Associates, Inc.**





**THOROUGHFARE TYPES**

- Highway: HW
- Boulevard: BV
- Avenue: AV
- Commercial Street: CS
- Drive: DR
- Downtown FBC Street: DT
- Street: ST
- Road: RD
- Rear Alley: RA
- Rear Lane: RL
- Bicycle Trail: BT
- Bicycle Lane: BL
- Bicycle Route: BR
- Path: PT
- Transit Route: TR
- Sharrow: SH



**Commanche St**  
**DT13-58-38**



**Fredericksburg St**  
**DT14-(40'-42')-(21'-24')**


Thoroughfare Type	Downtown FBC Street
Transect Zone Assignment	T4, T5
Required Right-of-Way Width	58 feet
Pavement Width	38 feet
Curb Relocation (Y/N)	Yes
Movement	Slow Movement
Design Speed	30 MPH
Pedestrian Crossing Time	8.6 seconds
Traffic Lanes	2 lanes
Parking Lanes	East Side at 7 foot marked
Curb Radius	10 feet
Walkway Type	10 foot Sidewalk
Planter Type	4 x 4 foot Tree Wells
Curb Type	Curb
Landscape Type	Trees at 30' o.c. Avg.
Transportation Provision	BL, TR

Thoroughfare Type	Downtown FBC Street
Transect Zone Assignment	T4, T5
Required Right-of-Way Width	40-42 feet
Pavement Width	21-24 feet
Curb Relocation (Y/N)	No
Movement	Slow Movement
Design Speed	30 MPH
Pedestrian Crossing Time	6.9 seconds
Traffic Lanes	2 lanes
Parking Lanes	None
Curb Radius	10 feet
Walkway Type	7 foot Sidewalk
Planter Type	4 x 4 foot Tree Wells
Curb Type	Curb
Landscape Type	Trees at 30' o.c. Avg.
Transportation Provision	None

DRAFT 11/7/2013



**GATEWAYPLANNING**  
A VIALTA GROUP PARTNER

 **Kimley-Horn  
and Associates, Inc.**





**THOROUGHFARE TYPES**

- Highway: HW
- Boulevard: BV
- Avenue: AV
- Commercial Street: CS
- Drive: DR
- Downtown FBC Street: DT
- Street: ST
- Road: RD
- Rear Alley: RA
- Rear Lane: RL
- Bicycle Trail: BT
- Bicycle Lane: BL
- Bicycle Route: BR
- Path: PT
- Transit Route: TR
- Sharrow: SH



**Edward Gary St (University to San Antonio)  
DT15-(86'-92')-(52'-58')**



**Edward Gary St (University to San Antonio)  
DT16-(86')-(47')**

Thoroughfare Type	Downtown FBC Street
Transect Zone Assignment	T4, T5
Required Right-of-Way Width	86-92 feet
Pavement Width	52-58 feet
Curb Relocation (Y/N)	No
Movement	Slow Movement
Design Speed	25 MPH
Pedestrian Crossing Time	6.9 seconds
Traffic Lanes	2 lanes
Parking Lanes	Both Sides at 15.5-17 foot marked angle
Curb Radius	10 feet
Walkway Type	17 foot Sidewalk
Planter Type	4 x 4 foot Tree Wells
Curb Type	Curb
Landscape Type	Trees at 30' o.c. Avg.
Transportation Provision	SH, TR

Thoroughfare Type	Downtown FBC Street
Transect Zone Assignment	T4, T5
Required Right-of-Way Width	86 feet
Pavement Width	44 feet
Curb Relocation (Y/N)	Yes
Movement	Slow Movement
Design Speed	25 MPH
Pedestrian Crossing Time	5.7 seconds
Traffic Lanes	2 lanes
Parking Lanes	Both Sides at 8 foot marked
Curb Radius	10 feet
Walkway Type	12 foot Sidewalk
Planter Type	4 x 4 foot Tree Wells
Curb Type	Curb
Landscape Type	Trees at 30' o.c. Avg.
Transportation Provision	BL, TR

DRAFT 11/7/2013

**GATEWAYPLANNING**  
A VIALTA GROUP PARTNER



 **Kimley-Horn  
and Associates, Inc.**



KEY		ST-57-20-BL
Thoroughfare Type	└──┬──┘	
Right of Way Width	└──┬──┘	
Pavement Width	└──┬──┘	
Transportation	└──┬──┘	



### THOROUGHFARE TYPES

Highway:	HW
Boulevard:	BV
Avenue:	AV
Commercial Street:	CS
Drive:	DR
Downtown FBC Street:	DT
Street:	ST
Road:	RD
Rear Alley:	RA
Rear Lane:	RL
Bicycle Trail:	BT
Bicycle Lane:	BL
Bicycle Route:	BR
Path:	PT
Transit Route:	TR
Sharrow	SH



### N CM Allen Pkwy (University to San Antonio) DT17-(92')-(68')

Thoroughfare Type	Downtown FBC Street
Transect Zone Assignment	T4, T5
Required Right-of-Way Width	92 feet
Pavement Width	68 feet
Curb Relocation (Y/N)	No
Movement	Free Movement (Linear Lanes)
Design Speed	35 MPH
Pedestrian Crossing Time	19.4 seconds
Traffic Lanes	4 lanes
Parking Lanes	None
Curb Radius	10 feet
Walkway Type	12' Sidewalk (West Side), 12' Multi-Use Path (East Side)
Planter Type	4 x 4 foot Tree Wells (West Side only)
Curb Type	Curb
Landscape Type	Trees at 30' o.c. Avg.
Transportation Provision	SH, TR




### N CM Allen Pkwy (San Antonio to Cheatham) DT18-86'-42'

Thoroughfare Type	Downtown FBC Street
Transect Zone Assignment	T4, T5
Required Right-of-Way Width	86 feet
Pavement Width	42 feet
Curb Relocation (Y/N)	No
Movement	Free Movement (Linear Lanes)
Design Speed	35 MPH
Pedestrian Crossing Time	9.7 seconds
Traffic Lanes	2 lanes
Parking Lanes	East Side at 8 foot marked
Curb Radius	10 feet
Walkway Type	12 foot Sidewalk (West Side), 12 foot Multi-Use Path (East Side)
Planter Type	4x4 foot Tree Well (West Side), Continuous 10 foot Buffer (East Side)
Curb Type	Curb
Landscape Type	Trees at 30' o.c. Avg.
Transportation Provision	BL, TR

DRAFT 11/7/2013



GATEWAYPLANNING  
A VIALTA GROUP PARTNER

 Kimley-Horn  
and Associates, Inc.





**THOROUGHFARE TYPES**

- Highway: HW
- Boulevard: BV
- Avenue: AV
- Commercial Street: CS
- Drive: DR
- Downtown FBC Street: DT
- Street: ST
- Road: RD
- Rear Alley: RA
- Rear Lane: RL
- Bicycle Trail: BT
- Bicycle Lane: BL
- Bicycle Route: BR
- Path: PT
- Transit Route: TR
- Sharrow: SH



**Edward Gary St (University to San Antonio)**  
**DT19-60'-32'**



**Hutchison St (North to Guadalupe)**  
**DT20-(80')-(56')**




Thoroughfare Type	Downtown FBC Street
Transect Zone Assignment	T4, T5
Required Right-of-Way Width	60 feet
Pavement Width	32 feet
Curb Relocation (Y/N)	No
Movement	Slow Movement
Design Speed	25 MPH
Pedestrian Crossing Time	9.1 seconds
Traffic Lanes	2 lanes
Parking Lanes	Both Sides unmarked
Curb Radius	10 feet
Walkway Type	5 foot Sidewalk
Planter Type	Continuous 7 foot bugger
Curb Type	Curb
Landscape Type	Trees at 30' o.c. Avg.
Transportation Provision	None

Thoroughfare Type	Downtown FBC Street
Transect Zone Assignment	T4, T5
Required Right-of-Way Width	80 feet
Pavement Width	56 feet
Curb Relocation (Y/N)	Yes
Movement	Slow Movement
Design Speed	30 MPH
Pedestrian Crossing Time	6.9 seconds
Traffic Lanes	2 lanes
Parking Lanes	Both Sides @ 17' Marked
Curb Radius	10 feet
Walkway Type	12 foot Sidewalk
Planter Type	4x4 foot Tree Well
Curb Type	Curb
Landscape Type	Trees at 30' o.c. Avg.
Transportation Provision	SH

DRAFT 11/7/2013

**GATEWAYPLANNING**  
A VIALTA GROUP PARTNER

 **Kimley-Horn  
and Associates, Inc.**



**THOROUGHFARE TYPES**

Highway:	HW
Boulevard:	BV
Avenue:	AV
Commercial Street:	CS
Drive:	DR
Downtown FBC Street:	DT
Street:	ST
Road:	RD
Rear Alley:	RA
Rear Lane:	RL
Bicycle Trail:	BT
Bicycle Lane:	BL
Bicycle Route:	BR
Path:	PT
Transit Route:	TR
Sharrow	SH

**Hutchison St (Guadalupe to N CM Allen)  
DT21-(83')-(56')**

Thoroughfare Type	Downtown FBC Street
Transect Zone Assignment	T4, T5
Required Right-of-Way Width	80 feet
Pavement Width	56 feet
Curb Relocation (Y/N)	Yes
Movement	Slow Movement
Design Speed	30 MPH
Pedestrian Crossing Time	6.9 seconds
Traffic Lanes	2 lanes
Parking Lanes	Both Sides @ 17' Marked
Curb Radius	10 feet
Walkway Type	12 foot Sidewalk
Planter Type	4x4 foot Tree Well
Curb Type	Curb
Landscape Type	Trees at 30' o.c. Avg.
Transportation Provision	SH

DRAFT 11/7/2013

**GATEWAYPLANNING**  
A VIALTA GROUP PARTNER

 **Kimley-Horn  
and Associates, Inc.**